



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/582,185

05/08/2007

Kurt Seljeseth

U 016337-9

8913

140

7590

06/09/2009

LADAS & PARRY LLP
26 WEST 61ST STREET
NEW YORK, NY 10023

EXAMINER

ALI, FARHAD

ART UNIT

PAPER NUMBER

2446

MAIL DATE

DELIVERY MODE

06/09/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/582,185	Applicant(s) SELJESETH, KURT	
	Examiner FARHAD ALI	Art Unit 2446	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 March 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 and 10-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8 and 10-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Status of Claims:

Claims 1-8 and 10-19 are pending in this Office Action.

Claims 1-8, 10-11, and 15 are amended.

Claims 16-19 are new.

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 04/27/2009 has been entered.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-8 and 10-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Schneider (US 2008/0016233).

Claim 1

A method for rapid provision of a desired resource for a user in a data network (Paragraph [0054] “In accordance with another aspect of the present invention, a DNS server includes a DNS query having a highest level domain (HLD), a root zone having at least one root resource record, and the root resource record adapted to resolve the DNS query when it is determined that the HLD is a top level domain alias (TLDA)”), comprising the steps of:

providing, by the user, an intentional address naturally expressed in a rich language in a first line user interface connected to the data network in which the user can provide a unique address of a resource to establish connection to said resource, intentionally and in accordance with a desire of the user for intended resource delivery, (Paragraph [0120] “For instance, a browser receives the keyword "example" and the domain name "example.keywordrouter.org" is generated by a string manipulation operation such as that of an append function),

implementing at least one layer for dynamic communication and handling on a computer server at a network context operator (Paragraph [0120] “This domain name can be generated on the client side (e.g., from a DLL, TCP/IP stack, configuration file, or operating system registry) or on any server (e.g., ISP server, DNS server, proxy server, etc.”),

receiving, reading and processing those parts of the intentional address that the operator within the network context is able to read or handle prior to resource delivery in

Art Unit: 2446

order to uncover the intention of the user, through processing of the intentional address in accordance with user specific and query specific information as well as handling algorithms and language data, and establishing, by the at least one layer, a connection in the data network directly between the user and the unique address of the desired resource on the basis of the uncovered intention (Paragraph [0120] **"A resource record in the "keywordrouter.org" zone file can be used to access a network resource specifically adapted to perform a string manipulation operation such as a truncation operation to extract the keyword "example" and either automatically perform or provide a user with the opportunity to perform any non-DNS type request one of a navigation request, search request, directory request, discovery request, and registration request depending upon configuration parameters"**).

Claim 2

The method of claim 1, wherein the user states the intentional address in an address line in a browser for the internet, within the framework of a protocol that leads the intentional address to said operator by using a domain name belonging to the operator (Paragraph [0115] **"FIG. 3c is a flowchart illustrating the steps performed for extracting a keyword from a domain name in accordance with the present invention. When the domain name having the keyword is generated (step 315), a network resource corresponding to the domain name can be accessed in step 360. The keyword can then be extracted in step 365 by the network resource**

when accessed. For instance, environment variables from header field of a HTTP request can be parsed to extract the keyword”).

Claim 3

The method of claim 1, wherein the user states the intentional address in a user interface in which the user keys numbers for telecommunication **(Paragraph [0156] “For example, when a DNS query includes a DNS friendly identifier such as a numerical fictitious domain name (NFDN) (e.g., 216.555.1212) and a root domain alias (DNS Root plus wildcard) is accessed, the NFDN can be resolved by translating the NFDN into an IP address”).**

Claim 4

The method of claim 1, wherein the user states the intentional address in an SMS channel **(Paragraph [0188] “In one aspect of the present invention, name tracking databases, name translation databases, or registries may be centrally maintained and updated through redundant servers. The data structure of such information may be stored as metadata (e.g., XML) or in any other format to allow integration of such data with the data managed by other naming service providers. Through Application Programming Interface (API), naming service providers can communicate with such resolvers, registries, and/or databases. Furthermore, access can be both platform and language independent. For**

instance, the TLDA registry can be accessed through any gateway such as Mobile Access Gateway”).

Claim 5

The method of claim 1, wherein the language data comprises a plurality of prepositions (See Figure 1c #175 "identifier generator" and Paragraph [0138] “The template can be used to generate an accessible URI for redirecting the client (e.g., web browser) to a request portal 195 to process any number of requests including one of a navigation request, registration request, WHOIS request, back-order request, prefix request, suffix request, command request, resolution request, redirection request, search request, identifier registration request, commerce request, subscription request, dialing request, messaging request, conferencing request, vendor request, service request, login request, status request, authorization request, and reference request. In addition, as part of the redirection process, the extracted keyword or first domain name, can be used to generate (step 710/740) one or more keywords and/or one or more domain names for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195”).

Claim 6

The method of claim 1, wherein said at least one layer for dynamic communication and handling after uncovering the user's intention and translation of said intention to the unique address of the intended resource in the data network, transmits the address to the user's first line user interface which then uploads the intended resource directly, without further intervention from the user **(Paragraph [0120] “automatically perform or provide a user with the opportunity to perform any non-DNS type request one of a navigation request, search request, directory request, discovery request, and registration request depending upon configuration parameters”)**.

Claim 7

The method of claim 1, wherein said at least one layer for dynamic communication and handling, after uncovering the intention of the user and translation of said intention to the unique address of the intended resource in the data network, makes a transfer to this address directly **(Paragraph [0120] “automatically perform or provide a user with the opportunity to perform any non-DNS type request one of a navigation request, search request, directory request, discovery request, and registration request depending upon configuration parameters”)**.

Claim 8

A system for rapid provision of desired resources for a user in a data network **(Paragraph [0054] “In accordance with another aspect of the present invention, a**

DNS server includes a DNS query having a highest level domain (HLD), a root zone having at least one root resource record, and the root resource record adapted to resolve the DNS query when it is determined that the HLD is a top level domain alias (TLDA)”), said data network comprising,

In addition to network connections, network nodes and routing units, **(Paragraph [0098] “FIG. 1a illustrates an exemplary system for providing a distributed computer system 100 in accordance with one aspect of the present invention and may include client computers or any network access apparatus 110 connected to server computers 120 via a network 128. The distributed system 100 may include client computers or any network access apparatus 110 connected to server computers 120 via a network 128. The network 128 may use Internet communications protocols (IP) to allow clients 110 to communicate with servers 120”)**,

the system comprising;

user terminals adapted to establish a first line user interface between a user and the data network in which a user can provide a unique address of a resource to establish connection to said resource, and

a computer server at a network context operator adapted to respond to queries from user terminals by returning desired resources thereto,

wherein said system further comprises at least one layer for dynamic communication and handling of an intentional address naturally expressed in a rich language, said layer being implemented on the computer server at a network context

Art Unit: 2446

operator (Paragraph [0120] “For instance, a browser receives the keyword “example” and the domain name “example.keywordrouter.org” is generated by a string manipulation operation such as that of an append function) (Paragraph [0120] “This domain name can be generated on the client side (e.g., from a DLL, TCP/IP stack, configuration file, or operating system registry) or on any server (e.g., ISP server, DNS server, proxy server, etc.”), and

wherein said layer is operative to receive, read and process the parts of the intentional address that the operator within the network context is able to read or handle prior to resource delivery so as to uncover a user's intention with the richly stated intentional address by processing said intentional address in accordance with query specific information as well as handling algorithms and language data, and to provide a connection in the data network directly between the user and the unique address of the desired resource, on the basis of said uncovered intention (Paragraph [0120] “A resource record in the “keywordrouter.org” zone file can be used to access a network resource specifically adapted to perform a string manipulation operation such as a truncation operation to extract the keyword “example” and either automatically perform or provide a user with the opportunity to perform any non-DNS type request one of a navigation request, search request, directory request, discovery request, and registration request depending upon configuration parameters”).

The system of claim 8, wherein the layer is further adapted to establish an address of the intended resource based upon at least one of: information regarding the network channel; operator preferences; and the time (Paragraph [0120] “A resource record in the "keywordrouter.org" zone file can be used to access a network resource specifically adapted to perform a string manipulation operation such as a truncation operation to extract the keyword "example" and either automatically perform or provide a user with the opportunity to perform any non-DNS type request one of a navigation request, search request, directory request, discovery request, and registration request depending upon configuration parameters”).

Claim 11

The system of claim 8, wherein the language data comprises a plurality of prepositions (See Figure 1c #175 "identifier generator" and Paragraph [0138] “The template can be used to generate an accessible URI for redirecting the client (e.g., web browser) to a request portal 195 to process any number of requests including one of a navigation request, registration request, WHOIS request, back-order request, prefix request, suffix request, command request, resolution request, redirection request, search request, identifier registration request, commerce request, subscription request, dialing request, messaging request, conferencing request, vendor request, service request, login request, status request, authorization request, and reference request. In addition, as part of the redirection process, the extracted keyword or first domain name, can be used to

generate (step 710/740) one or more keywords and/or one or more domain names for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195”).

Claim 12

A method according to claim 1, wherein the resource query comprises a preposition **(See Figure 1c #175 "identifier generator" and Paragraph [0138] “The template can be used to generate an accessible URI for redirecting the client (e.g., web browser) to a request portal 195 to process any number of requests including one of a navigation request, registration request, WHOIS request, back-order request, prefix request, suffix request, command request, resolution request, redirection request, search request, identifier registration request, commerce request, subscription request, dialing request, messaging request, conferencing request, vendor request, service request, login request, status request, authorization request, and reference request. In addition, as part of the redirection process, the extracted keyword or first domain name, can be used to generate (step 710/740) one or more keywords and/or one or more domain names for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195”).**

Claim 13

A method according to claim 12, wherein the resource query further comprises a name of the provider (**See Figure 1c #175 "identifier generator" and Paragraph [0138] "The template can be used to generate an accessible URI for redirecting the client (e.g., web browser) to a request portal 195 to process any number of requests including one of a navigation request, registration request, WHOIS request, back-order request, prefix request, suffix request, command request, resolution request, redirection request, search request, identifier registration request, commerce request, subscription request, dialing request, messaging request, conferencing request, vendor request, service request, login request, status request, authorization request, and reference request. In addition, as part of the redirection process, the extracted keyword or first domain name, can be used to generate (step 710/740) one or more keywords and/or one or more domain names for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195"**).

Claim 14

A system according to claim 8, wherein the resource query comprises a preposition (**See Figure 1c #175 "identifier generator" and Paragraph [0138] "The template can be used to generate an accessible URI for redirecting the client (e.g., web browser) to a request portal 195 to process any number of requests**

Art Unit: 2446

including one of a navigation request, registration request, WHOIS request, back-order request, prefix request, suffix request, command request, resolution request, redirection request, search request, identifier registration request, commerce request, subscription request, dialing request, messaging request, conferencing request, vendor request, service request, login request, status request, authorization request, and reference request. In addition, as part of the redirection process, the extracted keyword or first domain name, can be used to generate (step 710/740) one or more keywords and/or one or more domain names for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195”).

Claim 15

A system according to claim 14, wherein the resource query comprises a name of the provider (See Figure 1c #175 "identifier generator" and Paragraph [0138] “The template can be used to generate an accessible URI for redirecting the client (e.g., web browser) to a request portal 195 to process any number of requests including one of a navigation request, registration request, WHOIS request, back-order request, prefix request, suffix request, command request, resolution request, redirection request, search request, identifier registration request, commerce request, subscription request, dialing request, messaging request, conferencing request, vendor request, service request, login request, status

request, authorization request, and reference request. In addition, as part of the redirection process, the extracted keyword or first domain name, can be used to generate (step 710/740) one or more keywords and/or one or more domain names for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195”).

Claim 16

A computer server arranged at a network context operator site, for handling address and resource queries from users via a first line user interface attached to a data network in which a user can provide a unique address of a resource to establish connection to said resource, wherein the computer server comprises, in order to be able to process an intentional address naturally expressed in a rich language,

at least one layer for dynamic communication and handling that is adapted to receive, read and process such an intentional address in order to uncover the intention of the user, by processing the parts of the intentional address that the operator himself within the network context is able to read or handle prior to resource delivery in accordance with user specific and query specific information as well as handling algorithms and language data, and

a table containing the language data, said language data having been chosen in accordance with the operator's desire to realize address expression written in rich language, said language data being taken for a basis in the processing in accordance

Art Unit: 2446

with the handling algorithms (**Claim 16 is similar to claim 1 and 8 in Scope and language and is rejected for the reasons above and see Paragraph [0118]** “When an identifier is received or intercepted (step 310 or step 330), a string manipulation operation can be performed in step 420 order to generate (step 315 or step 335) a resolvable domain name having the keyword or second domain name having the first domain name. A string manipulation operation such as prepending, appending, rotating, concatenating, truncating, and reversing upon at least a portion of the generated domain name and the keyword or a second domain name from the first domain name can also performed by using one of a function, procedure, program, script, rewrite rule, resolver, configuration parameter, search list, host table, client, server, autosearch, and nameserver. Upon completion of the string manipulation operation, the network resource can be accessed (step 360 or step 370)”).

Claim 17

The computer server of claim 16, wherein said table contains at least one set of prepositions (**Paragraph [0120] and Paragraph [0108]** “**Stored in memory 144 may be programs/scripts, and information records 122 having any combination of exemplary content such as lists, files, and databases. Such records may include for example: word generation methods 180, dictionary/thesaurus 181, prefix/suffix and word root/stem 182, set of heuristic naming rules/namespace syntax 183, identifier equivalents 184, language translation 185, phonetics/phonemes (e.g.,**

Art Unit: 2446

misspelling) 186, identifier watch list 187 (e.g., list of desirable descriptors, personal identifier portfolio, competitor identifier portfolio), mnemonics/abbreviations 188, namespace mappings 189, identifier mapping 190, delimiter mapping 191, rhyme generation 192, name/number conversion 193, and identifier history 194").

Claim 18

The computer server of claim 17, wherein said table contains several limited sets of prepositions in different languages (**Paragraph [0120] and Paragraph [0108]** **"Stored in memory 144 may be programs/scripts, and information records 122 having any combination of exemplary content such as lists, files, and databases. Such records may include for example: word generation methods 180, dictionary/thesaurus 181, prefix/suffix and word root/stem 182, set of heuristic naming rules/namespace syntax 183, identifier equivalents 184, language translation 185, phonetics/phonemes (e.g., misspelling) 186, identifier watch list 187 (e.g., list of desirable descriptors, personal identifier portfolio, competitor identifier portfolio), mnemonics/abbreviations 188, namespace mappings 189, identifier mapping 190, delimiter mapping 191, rhyme generation 192, name/number conversion 193, and identifier history 194").**

Claim 19

The system of claim 8, wherein the first line user interface is an address line in a browser for the internet (**Paragraph [0109] “A device such as a network access apparatus 110, servlet, applet, stand-alone executable program, or user interface element such as a text box object, command line, speech to text interface, location field of a web browser, may receive input such as text or voice representative of a received/generated resource identifier in step 210”).**

Response to Arguments

3. Applicant's arguments filed 03/04/2009 have been fully considered but they are not persuasive.

In regards to the applicants arguments that nothing in Schneider would teach or suggest using an intentional address as taught by the present application, the examiner disagrees. Schneider teaches in paragraph 138, “The template can be used to generate an accessible URI for redirecting the client (e.g., web browser) to a request portal 195 to process any number of requests including one of a navigation request, registration request, WHOIS request, back-order request, prefix request, suffix request, command request, resolution request, redirection request, search request, identifier registration request, commerce request, subscription request, dialing request, messaging request, conferencing request, vendor request, service request, login request, status request, authorization request, and reference request. In addition, as part of the redirection process, the extracted keyword or first domain name, can be used to generate (step 710/740) one or more keywords and/or one or more domain names

Art Unit: 2446

for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195". Clearly the applicants intended address as claimed reads upon Schneider's "extracted keyword or first domain name, can be used to generate (step 710/740) one or more keywords and/or one or more domain names for the purposes of providing added value to the user with respect to navigation, searching, registration, or to pass such generated variables/parameters to the request portal 195". Furthermore, in regards to the location of the server, Schneider teaches in Paragraph [0120] "This domain name can be generated on the client side (e.g., from a DLL, TCP/IP stack, configuration file, or operating system registry) or on any server (e.g., ISP server, DNS server, proxy server, etc".

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to FARHAD ALI whose telephone number is (571)270-1920. The examiner can normally be reached on Monday thru Friday, 7:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey C. Pwu can be reached on (571) 272-6798. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2446

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Farhad Ali/
Examiner, Art Unit 2446

/Jeffrey Pwu/
Supervisory Patent Examiner, Art Unit 2446